

## Plainfield Conservation Commission (CC)

### Approved April 24, 2024 Minutes

Present were: Erik Burcroff, John Burns, Judy Ferber, Jack Nelson and Judy Williams, Chair, Elizabeth Bruns (NexAmp), Ryan Nelson (Levesque Associates, Inc.), Nicholas Sanangelo (Beals and Thomas, Inc.) and Joshua Surette( Epsilon Assoc., Inc.).

The meeting was called to order at 7 PM.

- I. Minutes of the March 27, 2024 were unanimously approved.
- II. Abbreviated Notice of Resource Area Delineation (ANRAD) submitted by B&T:
  - a. Peer review by Ryan Nelson on April 16, 2024, indicated minor variances to the delineations and noted the presence of Wood Frog eggs in the wetland replacement pond/depression south of wetland flags C9 and C10. He recommended that the applicant clarify if it qualifies as a vernal pool and update the ANRAD accordingly. The CC may consider a certification requirement in the Order of Resource Area Delineation (ORAD). Subsequently, B&T made the required adjustments to the delineation and will submit the revised maps for approval at the May meeting.
- III. Eversource request for a Certificate of “Compliance re Line 312 Reconductor and Structure Replacement Project.”
  - a. The Commission requested a site visit to take place at 3PM, May 8, 2024, as no official site visits had taken place previously.
- IV. Site Visit 82 Bow St. where owner, Gino Orlandi, is planning a 8000 ft<sup>2</sup> shed to be built on an existing prepared area. There is a small stream to the west, but there is an undisturbed vegetated buffer of sufficient width protecting it. An RDA will not be required.
- V. New Business: the CC will meet with the Planning Board 4 PM on May 8, 2024 to discuss possible Resource Area considerations regarding the design of the “Town Green” project around the Town Hall.
- VI. Other Business: the resignation of Alice Schertle was accepted with sadness and gratitude for her many years of service on the Commission.
- VII. The meeting was adjourned at 7:40 PM.

Respectfully Submitted,

Jack Nelson